

Features and Benefits

 UNMATCHED COMFORT	✓ Compact design, lightweight materials, and ride height adjustments, all contribute to an optimal weight distribution ✓ Optional dual ventilation shell pattern on top and sides for comfort during extended periods of use ✓ Innovative one-piece padding in soft-goods (welded instead of sewed) to help prevent pressure points
 VERSATILE APPLICATIONS	✓ Multi-purpose helmet for Technical Rescue, Wildland Firefighting, Climbing and Water Rescue Operations
 FULL MODULARITY	✓ Modular platform with a range of easily attachable accessories, such as responder goggles, face protection, and passive and active hearing protection with optional integrated communication system
 ACCESSORY INTEGRATION	✓ Accessories designed for full integration; e.g. dual beam headlamp with tail light ("buddy light"), adjustable internal ocular visor, and water rescue ear protection
 CUSTOMER FOCUSED DESIGN	✓ All integrated and modular accessories are designed for easy attachment ✓ Glove-friendly design of all accessories and helmet adjustment points for both right and left handed users
 EASY CLEANABILITY	✓ Easy to remove one-piece textile soft-goods to support health and safety efforts ✓ Complete helmet machine-washable (see Cleaning Guidelines for details)
 CUSTOMISABLE OPTIONS	✓ Pad printing available for front plates to add fire department logo or other designs ✓ Reflective trim and decals with custom printing options
 EXCEEDING STANDARDS	✓ Designed and tested to meet the latest EU and NFPA Standards for Technical Rescue, Wildland Firefighting, Climbing and Water Rescue (see Technical Specifications for details)



Focus on Innovation

INTEGRATED DUAL-BEAM HEADLAMP

- ✓ Allows proximity and spot beam with over 250 lumens



- ✓ Tail light ("buddy light"), with three colours available to toggle, and aid in accountability
- ✓ "SOS" mode that flashes front and rear lights to signal a distress



INTEGRATED OCULAR VISOR

- ✓ Fully integrated into the helmet shell and easily deployed with a gloved hand
- ✓ Customised fit to face with individual height and depth adjustments
- ✓ Easy to install and remove without tools ("push & pull" system)

WATER RESCUE EAR PROTECTION

- ✓ Left and right modular ear protection covers for water rescue applications
- ✓ Easy attachment points for connecting and removal depending on task and situation



INTEGRATED HEARING PROTECTION WITH OPTIONAL COMMUNICATION SYSTEMS

- ✓ Easily attachable, perfectly integrated electronic ear muffs to protect from hazardous noise without missing surrounding sounds
- ✓ Optional communication systems with adjustable boom microphone for mission critical communications

IMPROVED RESPONDER GOGGLES

- ✓ Quickly attaches to helmet shell with two clips only
- ✓ Keep goggle strap secure with magnetic adjustment system
- ✓ Accommodates multiple head sizes with adjustable buckle system
- ✓ Easily switch between stand-by and in-service mode with release buckle



Technical Specifications

Helmet	
Weight (helmet only)	750g ± 50g (depending on version)
Dimensions (shell)	Length: 299 mm Width: 239 mm Height: 180 mm
Sizes	One size (fits head sizes from 52 to 65 cm)
Shell	☒ Vented or unvented ☒ Painted
Colours	Standard: White, Black, Green, Blue, Yellow, Red, Grey High Visibility: Hi-Viz / Photoluminescent Yellow, Hi-Viz / Photoluminescent Orange, Photoluminescent
Chinstrap	☒ 3-4 points chinstrap ☒ 16 mm wide fire-retardant strap without loose end ☒ Height and depth adjustments ☒ Quick release buckle
Adjustments	☒ Head size (ergonomic knob wheel, adjustable position) ☒ Ride height (3 positions) ☒ Nape strap height adjustment (3 positions)
Materials	Shell and plastic parts: High temperature thermoplastics Straps: Fire retardant, modacrylic and polyester blend Paddings: Polyamide / Polyester / Elastane base material
Certification	CE Marking according to EU regulation 2016/425 EN 16471:2014 – Helmets for Wildland Firefighting EN 16473:2014 – Helmets for Technical Rescue EN 12492:2012 – Helmets for Mountaineers (vented version only)
Customisation	☒ Retroreflective stickers (yellow, red, silver, blue, green) with or without marking ☒ Pad printed logo on front plate



Options and Accessories		
Responder Goggles	✓ Dustproof ✓ Easy attachment to helmet with 2 clips ✓ Tension adjustment through fire retardant straps ✓ Magnetic strap adjustment system	
Weight	165 g ± 10 g	
Certification	EN166:2001 – Eye Protection Marking: 2C-1,2 1BT 3459 KN	
Performances	2C-1,2: UV filter (EN 170) 1: Optical class 1 BT: High speed particles (120m/s) at extreme temperatures 3: Liquid droplets 4: Dust 5: Gas and fine dust particles 9: Molten metal K: Anti-scratch N: Anti-fog	
Ocular Visor	✓ Retractable under helmet shell ✓ Depth adjustment ✓ Quick installation	
Weight	100g ± 10g	
Certification	EN 14458:2018 – High Performance Visors	
Performances	Anti-fog / Anti-scratch 2C-1.2 : UV filter (EN 170) Optical class 1	
Mesh visor	✓ Wide face coverage - visor length 21cm ✓ Excellent visibility ✓ Quick installation ✓ Compatible with helmet-mounted ear muffs	
Weight	165 g ± 10 g	
Certification	EN14458:2018 - High Performance visors EN1731:2006 - Mesh Protectors	
Clear visor	✓ Full protection of the face from projections and from the risks of electrical arcs (extended length of 21cm) ✓ Anti-fog and anti-scratch ✓ Quick installation ✓ Compatible with helmet-mounted ear muffs	
Weight	295g ± 10g	
Certification	EN14458:2018 - High Performance visors EN166:2001 - Personal Eye Protection Compliant to GS-ET-29 (class 1) - Electrical arcs	
Performances	2C-1,2 Optical class 1	
Neck Protector	✓ Colour: Dark Blue ✓ 100% Aramid ✓ Nape version, length 15 cm ✓ Quick assembly through 3 plastic clips	
Weight	30 g ± 5 g	
Water Rescue Kit	✓ Ear protection side panels to extend area of coverage according to EN 1385 requirements	
Weight	50g ± 10g	
Compliance	EN 1385:2012 – Helmet for canoeing and white water sports PAS 028:2002 – Marine Safety helmet, clause 6 Compliant on both non-motorised and small, fast crafts	

Options and Accessories		
Non-ATEX Headlamp	✓ Integrated LED headlamp module ✓ 2 beams (proximity and spot) ✓ Tail light (3 colours, RGB)	
Weight	Front module with LEDs: 90 g ± 5 g Rear AA Battery pack (with 3xAA batteries): 210 g ± 10 g	
Certification	CE marking	
Ingress Protection	IP67	
Power	Alkaline/Lithium disposable or rechargeable batteries (Ni-MH)	
Performance (autonomy varies according to battery type)	Proximity: 100 lumens, minimum 6h Spot: 150 lumens, minimum 4h Combined: 250 lumens, minimum 1h30 Reserve mode: 30 lumens, > 45 mins SOS mode: Flashing (spot beam + tail light)	
Helmet-mounted lamp bracket	✓ Easy attachment on left or right side	
Weight	15 g ± 10 g	
Compatibility	All MSA helmet mounted torches (XPS, XP LED, ...)	
Passive hearing protection	✓ Passive hearing protectors with high attenuation ✓ Low (green) and medium (yellow) versions	
Dimensions & Weight	Low version: 16.4 x 10.6 x 12.0 cm – 340 g Medium version: 16.4 x 10.6 x 12.0 cm – 403 g	
SNR Ratings	Low version: SNR 28 dB Medium version: SNR 32 dB	
Certification	EN 352-3:2002 – Hearing Protectors ANSI S3.19-1974 ANSI S12.6-2008 AS/NZ S1270:2002 CSA Class A	
Active Hearing Protection	Electronic Hearing protectors : ✓ Level Dependent function reproducing ambient sounds and still be protected from hazardous noises ✓ One version with built-in communication capabilities	
Weight (including batteries)	Version without communication capabilities: 390g Version with communication capabilities: 480g	
SNR ratings	SNR 26dB for both versions	
Ingress Protection	IP67	
Certification	EN 352-3:2002 – Hearing Protectors (Helmet mounted) EN 352-4:2001/A1:2005 (Level dependent function) EN 352-6:2002 (only for version with communication capabilities)	

Other Accessories		
Headlamp	✓ Alkaline ATEX / Li-Ion ATEX & Non-ATEX	 

Ordering Information GALLET F2XR

The GALLET F2XR uses an Assembly-to-Order (ATO) part numbering system for an optimal selection of the best suited configuration.

1	Helmet Type	
	R	GALLET F2XR, EN
2	Shell	
	1	Vented, painted
	2	Non-vented, painted
	3	Vented, mass tinted**
	4	Non-vented mass tinted**
3	Interior	
	1	Standard, textile
4	Eye Protection	
	0	None
	1	Responder Goggles EN 166
	2	Ocular Visor, EN 14458
	3	Ocular Visor and Responder Goggles
5	Neck Curtain	
	0	None
	1	Textile nape (Aramid)
6	Headlamp Options	
	0	None
	1	Headlamp, 3xAA
	2	Headlamp, 3xAA, ATEX**
	3	Headlamp, Li-Ion**
	4	Headlamp, Li-Ion, ATEX**
7	Instructions & Traceability	
	1	Instruction 1 (EN, FR, DE, ES, NL, BR)
	2	Instruction 2 (IT, GR, SE, CZ, HR, HU, PL, RS, RU, SK, SI)
	A	Instruction 1 + RFID (13,56 MHz)
	B	Instruction 1 + Custom label
	C	Instruction 1 + Custom RFID
	D	Instruction 1 + French Sécurité Civile Label
	Z	Instruction 2 + RFID (13,56 MHz)
	Y	Instruction 2 + Custom label
	X	Instruction 2 + Custom RFID
8	Retroreflective Trims (5 pcs. each)	
	0	None
	1	Silver, Glass Bead (Textile)
	2	Hi-Viz Yellow, Glass Bead (Textile)
	3	Red/Orange, Glass Bead (Textile)
	4	Blue, Glass Bead (Vinyl)
	5	Green, Glass Bead (Vinyl)
	A	Silver, Microprismatic
	B	Hi-Viz Yellow, Microprismatic
	C	Red, Microprismatic

9	Option 1	
	0	None
	1	EN 1385 Water rescue kit
	2	F2XR Lamp bracket, compatible L or R
	3	F2XR Lamp bracket, compatible L or R, 2 pcs.
10	Option 2	
	0	None
	1	EN 1385 Water rescue kit
	2	F2XR Lamp bracket, compatible L or R
	3	F2XR Lamp bracket, compatible L or R, 2 pcs.
11	Packaging	
	0	Bulk packaging
	1	Bulk packaging with individual textile bag
	2	Individual box
	3	Individual box with textile bag
12	Shell Colour	
	RE	Red (painted)
	JD	Yellow (painted)
	BA	White (painted)
	NA	Black (painted)
	YP	Yellow, high visibility / photoluminescent (painted)
	OP	Orange, high visibility / photoluminescent (painted)
	VF	Photoluminescent (painted)
	IM	Blue (painted)
	VA	Green (painted)
	NM	Grey (painted)
	RD	Red (mass tinted)**
	BD	White (mass tinted)**
	JA	Yellow (mass tinted)**
	ND	Black (mass tinted)**
	OA	Orange (mass tinted)**
13	Customisation	
	000	No Front plate (only if headlamp)
	001	Plain black front plate (no headlamp)
	ZZZ	Pad printed logo on front plate

** Contact us for availability

 **INNOVATION / New Feature**

Your Configuration and Part Number:

G												-			
	1	2	3	4	5	6	7	8	9	101	1	1	2	13	

Please note: Hearing Protection, Face Protection need to be ordered separately as accessory. See next page for details.

Ordering Information for Main Applications

Part Number	Instructions	Description	Picture
Technical Rescue Configurations			
GR1120010000-RE001	Instruction 1*	GALLET F2XR, red (painted), vented, ocular visor, bulk packaging	
GR1120020000-RE001	Instruction 2**		
GR1120010000-OP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent orange (painted), vented, ocular visor, bulk packaging	
GR1120020000-OP001	Instruction 2**		
GR1120010000-YP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, ocular visor, bulk packaging	
GR1120020000-YP001	Instruction 2**		
GR112001A000-YP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, ocular visor, grey prismatic stickers, bulk packaging	
GR112002A000-YP001	Instruction 2**		
GR212001A000-YP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent yellow (painted), non-vented, ocular visor, grey prismatic stickers, bulk packaging	
GR212002A000-YP001	Instruction 2**		
Wildland Firefighting Configurations			
GR1110010000-JD001	Instruction 1*	GALLET F2XR, yellow (painted), vented, Responder goggles, bulk packaging	
GR1110020000-JD001	Instruction 2**		
GR1110010000-OP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent orange (painted), vented, Responder goggles, bulk packaging	
GR1110020000-OP001	Instruction 2**		
GR1110010000-YP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, Responder goggles, bulk packaging	
GR1110020000-YP001	Instruction 2**		
GR111001A000-YP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, Responder goggles, grey prismatic stickers, bulk packaging	
GR111002A000-YP001	Instruction 2**		
Water Rescue Configurations			
GR1120010100-BA001	Instruction 1*	GALLET F2XR, white (painted), vented, Responder goggles, bulk packaging	
GR1120020100-BA001	Instruction 2**		
GR1120010100-OP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent orange (painted), vented, Responder goggles, bulk packaging	
GR1120020100-OP001	Instruction 2**		
GR1120010100-YP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, Responder goggles, bulk packaging	
GR1120020100-YP001	Instruction 2**		
GR112001A100-YP001	Instruction 1*	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, Responder goggles, grey prismatic stickers, bulk packaging	
GR112002A100-YP001	Instruction 2**		

* Instruction 1 = EN, FR, DE, ES, NL, BR

** Instruction 2 = IT, GR, SE, CZ, HR, HU, PL, RS, RU, SK, SI

Ordering Information for Accessories

Part Number	Description	Picture
Stickers (Set of 5 pcs.)		
GA3719-06	Retro reflective stickers, Glass beads (Textile), Silver	
GA3719-05	Retro reflective stickers, Glass beads (Textile), Hi-viz Yellow	
GA3719-07	Retro reflective stickers, Glass beads (Textile), Red/Orange	
GA3719-08	Retro reflective stickers, Glass beads (Vinyl), Blue	
GA3719-09	Retro reflective stickers, Glass beads (Vinyl), Green	
GA3719-00	Retro reflective stickers, Microprismatic, Silver	
GA3719-01	Retro reflective stickers, Microprismatic, Hi-Viz Yellow	
GA3719-02	Retro reflective stickers, Microprismatic, Red	
Eye, Face and Ear Protection		
GA3705	Responder goggles	
GA3723	Responder goggles protective cover	
GA3702	Ocular visor EN 14458	
GA3703	Mesh visor EN 14458 & EN 1731	
GA3704	Clear Visor EN14458 & EN166	
GA3701	Water rescue lateral protection panel, left and right	
GA3709	Nape neck curtain	
Lamps		
GA3710	Helmet-mounted lamp bracket, compatible left & right	
GA3724**	L2XR headlamp, 3AA batteries, ATEX	
GA3725	L2XR headlamp, 3AA batteries, Non-ATEX	
GA3726**	L2XR headlamp, Li-ion batteries, ATEX	
GA3727**	L2XR headlamp, Li-ion batteries, Non-ATEX	
Hearing Protection		
10190356	MSA passive hearing protection, Low	
10190357	MSA passive hearing protection, Medium	
GA3720	Supreme active hearing protection	
GA3721	Supreme active hearing protection with boom microphone	
10111823	Left/RIGHT CutOff Pro, Yellow	
10111826	Left/RIGHT CutOff Pro, Blue	
Storage and Transportation		
GA3708	Storage Pouch: Holds one GALLET F2XR Helmet with visor and small other accessories. Helmet and accessories are not included	
GA3729	Carry Bag: Holds two GALLET F2XR helmets and small accessories (hearing protection, water rescue panel, Responder goggle, headlamp etc) OR one GALLET F2XR Helmet with visor and small other accessories. Helmets and accessories are not included	

** Contact us for availability

For Spare Parts Ordering Information, please refer to the Instruction Manual.
msa.webdamdb.com/bp/#/folder/1792198/127393643

Technical Rescue Coverall

EN STANDARDS

BS EN ISO 13688:2013 | General PPE Requirements

BS EN 1149-5:2018 | Electrostatic properties | EN 1149-3:2004 Charge Decay

BS EN ISO 15384:2020 / Protective clothing for firefighters - laboratory test methods and performance requirements for wildland firefighting clothing

INTENDED USE

Technical rescue operations and associated activities such as assistance during disasters.

SIZES RANGE

- Chest/Waist: XS-4XL
- Fit: Extra Short, Short, Regular, Tall, Extra Tall, XX Tall

WARRANTY STATEMENT

- Each garment has a two year (24 months) free from manufacturing defects warranty from the date of manufacture. This covers structural seams and hardware (excluding zips), subject to wear and tear. Modifications or repairs made by any unauthorised specialist will invalidate the warranty.
- Flame-Pro Global reserves the right to inspect any suits.
- We recommend care and maintenance in line with BS 8617 which can be obtained from BSI shop (shop.bsigroup.com)

FABRIC COMPOSITION

- 65% Lenzing and 35% aramid (including antistatic)

FABRIC WEIGHT

- 245gms

Technical Rescue Coverall

FEATURES & BENEFITS

- Strategic panelling that's ergonomically shaped for wearer comfort and ease of movement; underneath the arm and the sleeve at the elbow area
- Concealed front zip closure covered by a storm flap
- Adjustable collar tab for better fit
- High shaped mandarin collar for better comfort and protection
- Knitted cuff with thumb loop to stop sleeving riding up when arms are extended. Knitted cuff is attached to a waterproof cuff carrier
- Adjustable cuff straps for better fit and to prevent the entry of burning debris and provide secure closure with gloves
- Shoulder reinforcement and 3D padding for added comfort when wearing backpacks
- Stitched vent lat on holes under each armpit
- All closures are easily operated whilst wearing gloves
- Ergonomically shaped knee panels
- Internal elasticated waist band at the back
- Front waist adjustment for better fit
- Double layer crotch gusset for comfort
- Reinforced fabric at the knee
- Leg bottoms have a gusset and secured adjustable closure system to facilitate donning and doffing whilst wearing boots.
- Two microphone loops at upper chest
- Reinforcement fabric in the elbow area for additional protection
- Napoleon pocket on left side as worn
- Whistle loop inside the Napoleon pocket
- Pen pocket underneath the storm guard
- Grab tab at the storm guard for easier opening when gloves are worn, additionally storm guard has spot Velcro® closure to aid doffing
- Reinforcement fabric at cuff hem for better abrasion resistance
- Twin needle structural seams for added strength
- Main zip attached to zip carrier for easier repair
- Reinforced leg hem for abrasion resistance
- Industrial wash, flame retardant sew-on reflective tape, attached with twin needle stitching for added strength, 50mm



**EXT
RESCUE®**

4014

Exactly what a first responder needs. The EXT Rescue® barrier 4014 is comfortable, highly protective, and meets OSHA requirements for blood-borne pathogen resistance. It's made with SuperFabric® brand material in the palm, giving you level A8 cut resistance and level 3 puncture resistance, so you can handle broken glass and twisted metal with confidence. Purpose-built to give you everything you need, this is the safest glove out there for first responders.

Protection zones



 ANSI/ISEA 105-2024 CUT **A8**

 ANSI/ISEA 105-2024 GRAM SCORE **5068**

 ANSI/ISEA 105-2024 PUNCTURE **3**

 ANSI/ISEA 105-2024 ABRASION **6**

 ANSI/ISEA 138-2019 IMPACT **1**

 ANSI/ISEA 105-2024 CONTACT HEAT **2**

 EN 388: 2016 **4X41FP**

Attributes

Style:	Mechanics
Grip:	Wet or dry
Cuff style:	Neoprene with hook and loop
Sizes:	7/S through 12/3XL



Liquid resistant



SuperFabric® inside

Product features

- SuperFabric®** brand materials provide industry-leading cut resistance (interior layer)
- Back-of-hand impact guards provide level 1 protection on knuckles and fingers
- Durable TP-X® palm with reinforced stitching pattern provides the ultimate dexterity and grip in wet/dry applications
- H2X® waterproof barrier (interior liner) meets ASTM F1670/F1671 for bloodborne pathogen resistance and fluid-borne viral resistance
- Reinforced index finger and thumb saddle for increased longevity
- Neoprene cuff with hook and loop closure for a secure fit
- Hi-vis color and reflective tape on back-of-hand
- Pull tab
- Launderable

Call **1.877.MY ARMOR** or visit **hexarmor.com**

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending

*SuperFabric® is a registered Trademark of HDM, Inc.

BLACK EAGLE® ATHLETIC 2.1 GTX

high / black
Art. No. 330043



CE EN ISO 20347:2012 O2 HRO HI CI WR FO SRC

Microfibra/textil, resistente al agua y muy respirable con GORE-TEX® Extended, altura 18.5 cm, anti-estática, suela 018

Tallas disponibles UK 3 – 12, Tallas Extra UK 13 / 14 / 15




HAIX® Ankle Protector



HAIX® Climate System



HAIX® Vario Wide Fit System



HAIX® 2-Zone Lacing



Material superior

Combinación de Microfibra/Textil

Forro Interno

GORE-TEX® Extended; resistente al agua y altamente respirable. Resistente a la abrasión con confort climático optimizado especialmente para uso interno/externo.

Plantilla

Confortable, acolchonada, repelente a la humedad, lavable a 30 °C. Perfil de talón separado para mejor inserción y acolchamiento. Tecnología de canales de "FLUJO DE AIRE".

Suela tipo Running

De goma, tanto resistente al aceite, a la gasolina y al calor como aislante de frío conforme a la norma EN ISO 20347:2012. No deja rastro, no marca y se autolimpia.

HAIX® Anti Slip

Buen agarre en diferentes terrenos gracias al perfil y al uso de cauchos especiales.

Suela Duradera

Mezcla de cauchos para mayor durabilidad.

Suela Interna

Elástica de dos capas entresuela de PU, de peso ligero, efecto de amortiguación. zona de estabilización para la distribución óptima de la presión en un terreno desigual.

Estabilizador

De PU Asimétrico para estabilizar el talón.

Dynaframe

Diseño de elemento HX hecho de material de poliuretano resistente a la tracción y rotura. Cubre perfectamente las fuerzas de tracción en la zona media del pie y transfiere la fuerza de tracción de los cordones. El clip de talón estabiliza el pie atrás.

Sistema de Clima HAIX®

El Sistema de climatización HAIX® permite la circulación del aire con cada paso, el aire caliente es liberado por el forro de Micro-Dry en la parte superior de la bota.

Sistema de amarre de 2 zonas de HAIX®

Permite un ajuste separado de la caña y el empeine para mayor comodidad del usuario.

HAIX® Vario Wide Fit System

Gracias a 3 plantillas diferentes la bota se adapta a cada anchura de pie. La plantilla roja (medium) va incluida con la bota. La plantilla amarilla (ancha) y la azul (estrecha) se piden por separado.

Otros

Extremadamente ligera, trabilla, sistema de cordones cerrado con y bolsillo para cordones, protección adicional en la puntera, exenta de metal, antiestática, suela altamente antideslizante en mojado y en frío, excelente amortiguación duradera, protección tobillar

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37½	38	39	39½	40	41	41½	42	43	43½	44	45	45½	46	47	47½	48	48½	49	50	50½	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

HAIX®-Schuhe, Produktions- und Vertriebs GmbH

Auhofstrasse 10, 84048 Mainburg, Germany
T. +49(0)8751/8625-0, F. +49(0)8751/8625-25
info@haix.de, www.haix.com